

PROFESSIONAL TOOLS



**FAST
DELIVERY**



WWW.CISIVIS.COM

WUHAN YUNGUO TECHNOLOGY CO., LTD



ADD: 810, 8TH FLOOR, BUILDING 12, WANDA MANSION, HEPING AVENUE,
WUCHANG DISTRICT, WUHAN HUBEI, CHINA.

TEL: +86-15071590213

EMAIL: Alenwang@Cisivis.com

**WUHAN YUNGUO TECHNOLOGY
CO., LTD**

WWW.CISIVIS.COM



SAVE MONEY
LESS TIME



SHIPPING
WORLDWIDE



PERFECT
SYSTEM

**CISIVIS
TOOLS**

COPYRIGHT © CISIVIS
www.cisivis.com



**CISIVIS[®]
TOOLS**

COPYRIGHT © CISIVIS
www.cisivis.com



About Us

Wuhan YUNGUO Technology Co., Ltd.

Wuhan YunguoTechnology Co., Ltd. was established in 2019. It is a company specializing in the production and sales of various types of power tools, hand tools and other equipment. Floor cutters, power tools, and small household and construction equipment such as power wrenches, power drills, angle grinder, lawn mowers, chain saws, some hand tools and so on.

Our company accepts OEM and ODM orders, as well as wholesale orders and customization orders. We adhere to the business principle of mutual benefit, and enjoy a reliable reputation among customers for our professional services.

We warmly welcome customers at home and abroad to establish cooperation with us and create a better future together.



Company Introduction

Cisivis is a professional tool solution provider committed to offering high-quality and high-performance comprehensive tools, including electric tools, hand tools, pneumatic tools, and more, to global customers. With an experienced R&D team and production team, we focus on designing, manufacturing, and selling various types of tools to meet the diverse needs of users and projects.

Our Products

Electric Tools Series

We provide a wide range of electric tools, including drills, electric hammers, saws, electric screwdrivers, and more, suitable for home repairs, construction, woodworking, and various other applications.

Hand Tools Series

Our hand tools series includes a variety of manual tools such as wrenches, screwdrivers, hammers, scissors, measuring tools, etc., suitable for daily maintenance, assembly, installation, and various manual tasks.

Pneumatic Tools Series


We offer various pneumatic tools, including pneumatic nail guns, pneumatic wrenches, pneumatic grinders, and more, suitable for high-intensity nailing, tightening, grinding, and other operations.

Other Tools Series

In addition to our main products mentioned above, we also provide various other types of tools, such as measuring tools, safety protective tools, workshop equipment, and more, to meet the diverse needs of different industries and applications.

Technical Support and Services

We not only provide high-quality tools and accessories but also offer professional technical support and after-sales services. Our technical team is always available to provide product consultations, usage guidance, maintenance services, etc., to ensure customers can fully utilize our products.



Product Catalog

1

Tightening&Drilling Tools

2

Angle Grinders

3

Garden tools

4

Pneumatic Tools

5

Other Tools

6

Laser levels

7

Batteries & Chargers

ELECTRIC WRENCH · 21V-1016377

Output shaft	1/2" (Square shaft)
Maximum Torque	300N.m
No-load Speed	7000r/min
Rated Power	1600w



BRUSHLESS ELECTRIC WRENCH · 21V-1033559

Sleeve Model	M8-M24
Maximum Torque	800N.m
No-load Speed	0-3500r/min
Output shaft	21V



ELECTRIC WRENCH · 21V-1016965

Output shaft	1/2"
Maximum Torque	700N.m
No-load Speed	0-3500r/min
Output shaft	21V



ELECTRIC IMPACT WRENCH · 21V-1018481

Maximum Torque	2000N.m
No-load Speed	11000r/min
Rated speed	9000r/min
Impacting Frequency	0-2500i/min



ELECTRIC WRENCH · 21V-1018984

Output shaft	1/2" (Square shaft)
Maximum Torque	1000N.m
No-load Speed	0-11000r/min
Rated speed	0-9000r/min



ELECTRIC IMPACT WRENCH · 21V-1052160

Output shaft	1/2" - 3/4" (Square shaft)
Maximum Torque	3000N.m
No-load Speed	0-11000r/min
Impacting Frequency	0-2800i/min



ELECTRIC WRENCH · 21V-1019555

Chuck Diameter	1/2" (Square shaft)
Maximum Torque	600N.m
No-load Speed	0~2500r/min
Rated Power	2000w



ELECTRIC RATCHET WRENCH · 12V-1016384

Output shaft	12V
Maximum Torque	40N.m
Output Shaft	3/8"
No-Load Speed	180r/min



ELECTRIC WRENCH · 21V-1052957

Brushless voltage	21V
Speed	FWD:280N/REV:350N
No-load Speed	1100r/min
Impacting Frequency	2800i/min



ELECTRIC WRENCH · 21V-1018112

Brushless voltage	21V
Chuck Diameter	10mm
Maximum Torque	700N.m
Motor Type	Brushless Motor



ELECTRIC WRENCH · 21V-1052959

Brushless voltage	21V
Speed	FWD:580N/REV:650N
No-load Speed	1100r/min
Impacting Frequency	2800i/min



ELECTRIC WRENCH · 21V-1014999

Brushless voltage	21V
Maximum Torque	300N.m
No-load Speed	2400r/min
Maximum output power	450w



ELECTRIC WRENCH · 21V-1052955

Brushless voltage	21V
Speed	FWD:850N/REV:1000N
No-load Speed	1100r/min
Impacting Frequency	2800i/min



ELECTRIC WRENCH · 21V-1017448

Brushless voltage	21V
Maximum Torque	350N.m
No-load Speed	0-3800r/min
Maximum output power	2100w



ELECTRIC DRILL • 21V-1052929

Brushless Voltage	21V
Chuck Diameter	10mm
High Speed	0-1700r/min
Low Speed	0-500r/min



ELECTRIC DRILL • 21V-1018724

Brushless Voltage	21V
Chuck Diameter	13mm
Maximum Torque	95N.m
No-load Speed	0-1350r/min



ELECTRIC DRILL • 21V-1018727

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	60N.m
No-load Speed	0-2000r/min



ELECTRIC DRILL • 21V-1018727

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	60N.m
No-load Speed	0-2000r/min



ELECTRIC DRILL • 21V-1015774

Brushless Voltage	21V
Chuck Diameter	13mm
Maximum Torque	95N.m
No-load Speed	0-1650r/min



ELECTRIC DRILL • 12V-1018722

Brushless Voltage	12V
Chuck Diameter	10mm
Maximum Torque	65N.m
No-load Speed	0-2000r/min



ELECTRIC DRILL • 21V-1017928

Brushless Voltage	21V
Maximum Torque	24N.m
High Speed	0-1300r/min
Low Speed	0-300r/min



ELECTRIC DRILL • 18V-1018721

Brushless Voltage	18V
Maximum Torque	120N.m
High Speed	0-1700r/min
Low Speed	0-500r/min



ELECTRIC DRILL • 12V-1017664

Brushless Voltage	12V
Chuck Diameter	10mm
Maximum Torque	35N.m
No-load Speed	0-40/1600r/min



ELECTRIC DRILL • 12V-1052972

Brushless Voltage	12V
Chuck Diameter	10mm
Maximum Torque	45N.m
No-load Speed	0-40/1600r/min



ELECTRIC DRILL • 21V-1052961

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	25N.m
No-load Speed	0-650/1850r/min



ELECTRIC DRILL • 21V-1052963

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	35N.m
No-load Speed	0-500/1700r/min



ELECTRIC DRILL • 21V-1052996

Brushless Voltage	21V
Chuck Diameter	13mm
Maximum Torque	80N.m
No-load Speed	2150/2250r/min



ELECTRIC DRILL • 21V-1052968

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	80N.m
No-load Speed	0-650/1850r/min



ELECTRIC DRILL • 21V-1052939

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	80N.m
No-load Speed	0-650/1850r/min



ELECTRIC DRILL • 21V-1014983

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	35N.m
No-load Speed	0-500/1700r/min



ELECTRIC DRILL • 12V-1018455

Brushless Voltage	12V
Chuck Diameter	1-10mm
Maximum Torque	25N.m
No-load Speed	0-1300r/min



ELECTRIC DRILL • 21V-1017932

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	450N.m
No-load Speed	1000r/min



ELECTRIC DRILL • 21V-1014988

Brushless Voltage	21V
Chuck Diameter	10mm
Maximum Torque	65N.m
No-load Speed	1800r/min



ELECTRIC DRILL • 21V-1018248

Brushless Voltage	21V
Chuck Diameter	13mm
Maximum Torque	65N.m
No-load Speed	1700r/min



ELECTRIC SCREWDRIVER • 12V-1017986

Brushless Voltage	12V
Chuck Diameter	10mm
Maximum Torque	3.5N.m
No-load Speed	200r/min



BRUSHLESS SCREWDRIVER · 21V-1053025

Brushless Voltage	21V
Screw	M4-M8
Maximum Torque	180N.m
No-load Speed	3200r/min



BRUSHLESS SCREWDRIVER · 21V-1018726

Brushless Voltage	21V
Screw	M4-M8
Maximum Torque	180N.m
No-load Speed	3200r/min



ELECTRIC SCREWDRIVER · 21V-1052948

Brushless Voltage	21V
Screw	M4-M8
Maximum Torque	180N.m
No-load Speed	3200r/min



ELECTRIC SCREWDRIVER · 12V-1018728

Brushless Voltage	12V
Maximum Torque	24N.m
High Speed	0-350r/min
Low Speed	1300r/min



ELECTRIC SCREWDRIVER · 21V-1052987

Brushless Voltage	21V
Maximum Torque	60N.m
High Speed	1350r/min
Low Speed	750r/min



ELECTRIC SCREWDRIVER · 21V-1052974

Chuck Diameter	6.35mm
Maximum Torque	205N.m
No-load Speed	0-3250r/min
Impacting Frequency	0-3800i/min



ANGLE GRINDER · 21V-1017965

Rated Voltage	21V
Rated Power	850w
Grinding wheel size	Φ100/125mm
No-load Speed	8000r/min



ANGLE GRINDER · 21V-1017989

Rated Voltage	21V
Rated Power	850w
Grinding wheel size	Φ100/125mm
No-load Speed	8000r/min



BRUSHLESS ANGLE GRINDER · 12V-1017968

Rated Voltage	12V
Maximum operating current	35A
Grinding wheel size	Φ75mm
No-load Speed	19500r/min



BRUSHLESS ANGLE GRINDER · 21V-1018001

Rated Voltage	21V
Rated Power	850w
Grinding wheel size	Φ100/125mm
No-load Speed	9500r/min



BRUSHLESS ANGLE GRINDER · 12V-1053007

Rated Voltage	12V
Maximum operating current	35A
Grinding wheel size	Φ78mm
No-load Speed	18500r/min



BRUSHLESS ANGLE GRINDER · 21V-1018115

Rated Voltage	21V
Rated Power	700w
Grinding wheel size	Φ100/125mm
No-load Speed	7800r/min



ELECTRIC SCISSORS · 21V-1053001

Brushless Voltage	21V
Rated Power	150w
Working Scope	15-25mm
Operating Temperature	-10-60°C



ELECTRIC SCISSORS · 21V-1018736

Brushless Voltage	21V
Rated Power	150w
Working Scope	20-30mm
Operating Temperature	-10-60°C



ELECTRIC SCISSORS · 21V-1052978

Brushless Voltage	21V
Rated Power	100w
Working Scope	25-30mm
Operating Temperature	-10-60°C



MINI HEDGE TRIMMER · 21V-1018114

Brushless Voltage	21V
Cycle Speed	1250cpm
No-load Speed	2500r/min
Maximum Cutting Capacity	8mm



RECIPROCATING SAW · 21V-1005005

Brushless Voltage	21V
Cutting Depth	25cm
Reciprocating stroke	10mm
No-load Speed	0-2500r/min



RECIPROCATING SAW · 21V-1016380

Brushless Voltage	21V
Cutting Depth	25cm
Reciprocating stroke	11mm
No-load Speed	0-2500r/min



RECIPROCATING SAW · 21V-1018737

Brushless Voltage	21V
Cutting Depth	20cm
Reciprocating stroke	12mm
No-load Speed	0-2200r/min



RECIPROCATING SAW · 21V-1032384

Brushless Voltage	21V
Cutting Depth	25cm
Reciprocating stroke	12mm
No-load Speed	0-2500r/min



ELECTRIC SAW · 21V-1052983

Rated Voltage	21V
Guide length	22cm
No-load Speed	3000r/min
Chain Speed	300m/min



ELECTRIC SAW · 21V-1017957

Rated Voltage	21V
Guide length	22cm
No-load Speed	3000r/min
Chain Speed	300m/min



ELECTRIC SAW · 21V-1014962

Rated Voltage	21V
Guide length	22cm
No-load Speed	3000r/min
Chain Speed	300m/min



ELECTRIC SAW · 21V-1045816

Rated Voltage	21V
Guide length	22cm
No-load Speed	3000r/min
Chain Speed	300m/min



ELECTRIC SAW · 21V-1014955

Rated Voltage	21V
Guide length	22cm
No-load Speed	3000r/min
Chain Speed	300m/min



ELECTRIC SAW · 21V-1016405

Rated Voltage	21V
Guide length	22cm
No-load Speed	3000r/min
Chain Speed	300m/min



ELECTRIC SAW · 21V-1052951

Rated Voltage	21V
Guide length	30cm
No-load Speed	800-2500r/min
Chainsaw Size	40cm




CORDLESS LAWN MOWER · 12V-1016250

Rated Voltage	12V
Rated Power	450w
Extension length	80-120cm
No-load Speed	6000r/min



CORDLESS LAWN MOWER · 12V-1014895

Rated Voltage	21V
Cutting Diameter	15CM
Extension length	120cm
No-load Speed	18000r/min



CORDLESS LAWN MOWER · 12V-1014933

Rated Voltage	21V
Cutting Diameter	15CM
Extension length	120CM
No-load Speed	18000r/min



CORDLESS LAWN MOWER · 21V-1014892

Rated Voltage	21V
Cutting Diameter	15cm
Extension length	120cm
No-load Speed	18000r/min



ELECTRIC HEDGE TRIMMER · 21V-1020137

Rated Voltage	21V
Cutting Diameter	15cm
Cutter length	510mm
No-load Speed	18500r/min



LEAF BLOWER · 21V-1017308

Rated Voltage	21V
No-load Speed	28000r/min
Maximum Wind Speed	85 m/s
Air Volume	9m ³ /min



CAR INFLATOR PUMP · 21V-1018249

Rated Voltage	21V
Rated Power	110W
Maximum working pressure	120PSI
Pressure Accuracy	0-40psi: ±1/40-80: ±3psi 80-120: ±5/120-150: ±8psi



LEAF BLOWER · 21V-1044015

Rated Voltage	21V
No-load Speed	28000r/min
Maximum Wind Speed	85 m/s
Air Volume	9m ³ /min



SPRAY GUN · 21V-1044015

No-load Speed	37000r/min
Capacity	800ml
Flow	580ml/min
Spraying Distance	<1m

ELECTRIC CAR WASH GUN · 48V-1015082

Brushless Voltage	21V
Rated Power	350W
Spray Distance	6-8m
Model	High pressure direct, fan-shaped, foam.



HOT MELT GLUE GUN · 18V-1018359

Brushless Voltage	18V
Operating Temperature	230-250°C
Glue Output Speed	12g/min
Diameter	Φ11mm



ELECTRIC RIVET GUN · 21V-1018110

Brushless Voltage	21V
Maximum Stroke	18mm
Aluminum Nails	2.4-4. 8mm



CORDLESS JIGSAW · 21V-1018012

Brushless Voltage	21V
Rated Power	800W
Stroke Length	25mm
No-load Speed	2500r/min



SANDING MACHINE · 21V-1017959

Brushless Voltage	21V
Rated Power	240w
Main Plunger	8.5mm
No-load Speed	11000r/min



POLISHING MACHINE · 12V-1017963

Brushless Voltage	12V
Rated Power	24W
Grinding Wheel Size	Φ125mm-150mm
No-load Speed	0-550-2800r/min




OSCILLATING MULTI TOOL · 21V-1017996

Brushless Voltage	21V
Swing Angle	4°
Oscillation Frequency	6000-19000opm
Vibration level	Sanding :2.5m/s ² Straight saw blade :10.5m/s ² Semicircular saw blade :5.5m/s ² Hanging cutting :9m/s ²



4D LASER LEVEL · 12V-1017979

Laser Wavelength	515nm
Laser Range	20m
Error	±3mm/30m
Horizontal Angle	<3°



LASER LEVEL · 12V-1034884

Laser Wavelength	515nm
Laser Range	20m
Error	±1mm/7m
Horizontal Angle	<3°



3D LASER LEVEL · 12V-1041880

Rated Voltage	12V
Laser Wavelength	515nm
Working Distance	10m
Accuracy	±1mm at5m



POWER TOOL CHARGER-1016108

Output Parameters	14.4-18V
Input Voltage	100-240V
Specification	4 types of plugs



18650 LITHIUM BATTERY-1018162

Lithium-Ion	3.0-6.0Ah
Battery Cell	18650
Applicable Series	For Makita BL18



18650 LITHIUM BATTERY-1020137

Lithium-Ion	6.0Ah
Battery Cell	18650
Applicable Series	For DeWalt



21700 LITHIUM BATTERY-1052377

Lithium-Ion	9.0Ah
Battery Cell	21700
Applicable Series	Suitable For DeWalt 20-60V

